

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
15 March 2001 (15.03.2001)

PCT


(10) International Publication Number
WO 01/17901 A1

- (51) International Patent Classification⁷: C01B 33/12
- (21) International Application Number: PCT/US00/07094
- (22) International Filing Date: 16 March 2000 (16.03.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/390,276 7 September 1999 (07.09.1999) US
- (63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 09/390,276 (CIP)
Filed on 7 September 1999 (07.09.1999)
- (71) Applicants (for all designated States except US):
TECHNISCHE UNIVERSITEIT DELFT [NL/NL]; Julianalaan 134, NL-2628 BL Delft (NL). ABB LUMMUS GLOBAL, INC. [US/US]; 1515 Broad Street, Bloomfield, NJ 07003-3096 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SHAN, Zhiping [NL/NL]; Bieslandfekade #36, NL-2612 JX Delft (NL). MASCHMEYER, Thomas [NL/NL]; Hooigracht #52, NL-2514 BG Delft (NL). JANSEN, Jacobus, Cornelis [NL/NL]; Grabijnhof #1, NL-2625 LL Delft (NL).
- (74) Agents: LILLIE, Raymond et al.; Carella, Byrne, Bain, Gilfillan, Cecchi, Stewart & Olstein, 6 Becker Farm Road, Roseland, NJ 07068 (US).
- (81) Designated States (national): AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent

[Continued on next page]

(54) Title: INORGANIC OXIDES WITH MESOPOROSITY OR COMBINED MESO-AND MICROPOROSITY AND PROCESS FOR THE PREPARATION THEREOF

Example 1



(57) Abstract: Bimodal inorganic material that in a pore size distribution plot has distinct mesopore and micropore peaks. A process for producing a bimodal material or a material that contains essentially only mesopores involves heating an inorganic oxide in the presence of material that bonds to the inorganic oxide by hydrogen bonding. The micropores may or may not include a crystalline structure.

WO 01/17901 A1